

HW E6: Continuous Probability Distributions


Score: 12/14 6/7 answered

● Question 5

< >

The time to complete an exam is approximately Normal with a mean of 40 minutes and a standard deviation of 4 minutes.

The bell curve below represents the distribution for testing times. The scale on the horizontal axis is equal to the standard deviation. Fill in the indicated boxes.



Question Help: [Post to forum](#)

Submit Question



Type here to search



HW E10: Confidence Intervals for Proportions

Score: 16/22 10/11 answered

● Question 3



Assume that a sample is used to estimate a population proportion p . Find the margin of error $M.E.$ that corresponds to a sample of size 377 with 40.1% successes at a confidence level of 98%.

$M.E. =$ %



Answer should be obtained without any preliminary rounding. However, the critical value may be rounded to 3 decimal places. Round final answer to one decimal place

Question Help: [▶ Video](#) [D Post to forum](#)

[Submit Question](#)

HW E10: Confidence Intervals for Proportions

Score: 16/22 9/11 answered

● Question 4



Giving a test to a group of students, the grades and gender are summarized below

	A	B	C	Total
Male	8	9	13	30
Female	14	11	19	44
Total	22	20	32	74

Let π represent the percentage of all female students who would receive a grade of B on this test. Use a 85% confidence interval to estimate p to three decimal places.

Enter your answer as a tri-linear inequality using decimals (not percents).

 < p <

Question Help: [Video](#) [Post to forum](#)

Submit Question

HW E10: Confidence Intervals for Proportions

Score: 16/22 8/11 answered

● Question 5



You want to obtain a sample to estimate a population proportion. At this point in time, you have no reasonable estimate for the population proportion. You would like to be 99% confident that your estimate is within 1.5% of the true population proportion. How large of a sample size is required?

$n =$

Do not round mid-calculation. However, use a critical value accurate to three decimal places.

Question Help: [D Post to forum](#)

[Submit Question](#)



Type here to search



Quiz 3 on Estimation

Score: 5/7 7/7 answered

X Question 2



Score on last try: **0 of 1 pts.** See Details for more.

> Next question

You can retry this question below

Giving a test to a group of students, the grades and gender are summarized below

	A	B	C	Total
Male	12	7	9	28
Female	16	19	11	46
Total	28	26	20	74

Let π represent the percentage of all male students who would receive a grade of A on this test. Use a 98% confidence interval to estimate p to three decimal places.

Enter your answer as a tri-linear inequality using decimals (not percents).

< p <

Question Help: ☒ Message instructor

Submit Question

Quiz 3 on Estimation

Score: 5/7 7/7 answered

X Question 7



Score on last try: **0 of 1 pts.** See Details for more.

You can retry this question below

Karen wants to advertise how many chocolate chips are in each Big Chip cookie at her bakery. She randomly selects a sample of 52 cookies and finds that the number of chocolate chips per cookie in the sample has a mean of 16.8 and a standard deviation of 2.6. What is the 80% confidence interval for the number of chocolate chips per cookie for Big Chip cookies? Enter your answers accurate to one decimal place (because the sample statistics are reported accurate to one decimal place).

$< \mu <$

Question Help: [Message instructor](#)

Submit Question