



Course

Messages

Forums

Calendar

Gradebook

[Home](#) > [MTH155 SP20 12wk](#) > [Assessment](#)

Quiz 4 on Hypothesis Testing

Score: 0/10 0/10 answered

● Question 1 ▼

< >

The national average SAT score is roughly 1500. We would like to see if the high school seniors who apply to Duke have higher than average SAT scores. We randomly sample 100 applicants' files and record their SAT scores. Which of the following is the correct set of hypotheses for this research question? Hint: think about how many samples we have data from.

- ☐ $H_0: p = 1500; H_A: p > 1500$
- ☐ $H_0: \mu_{\text{Duke}} = \mu_{\text{National}}; H_A: \mu_{\text{Duke}} > \mu_{\text{National}}$
- ☐ $H_0: x = 1500; H_A: x > 1500$
- ☐ $H_0: \mu = 1500; H_A: \mu \neq 1500$
- ☐ $H_0: \mu = 1500; H_A: \mu > 1500$

Question Help: [✉ Message instructor](#)

Submit Question



Type here to search



You wish to test the following claim (H_a) at a significance level of $\alpha=0.10$.

$$H_0: \mu = 84.2$$

$$H_a: \mu > 84.2$$

You believe the population is normally distributed, but you do not know the standard deviation. You obtain a sample of size $n=16$ with mean $M=85.7$ and a standard deviation of $SD=7.4$.

What is the test statistic for this sample? (Report answer accurate to three decimal places.)

test statistic =

What is the p-value for this sample? (Report answer accurate to four decimal places.)

p-value =

The p-value is...

- ☐ less than (or equal to) α
- ☐ greater than α

This test statistic leads to a decision to...

- ☐ reject the null
- ☐ accept the null
- ☐ fail to reject the null

As such, the final conclusion is that...

- ☐ There is sufficient evidence to warrant rejection of the claim that the population mean is greater than 84.2.
- ☐ There is not sufficient evidence to warrant rejection of the claim that the population mean is greater than 84.2.
- ☐ The sample data support the claim that the population mean is greater than 84.2.
- ☐ There is not sufficient sample evidence to support the claim that the population mean is greater than 84.2.



Send

at Painter

Bluetooth

Calibri (Body)

11

A[^] A[~]

Aa

A_o

≡

≡

≡

≡

A₂↓**B***I*U

ab

x₂x²

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

A

Font

Paragraph

You wish to test the following claim (H_a) at a significance level of $\alpha=0.02$.

$H_0: \mu = 76.1$ $H_a: \mu < 76.1$

$H_0: \mu < 76.1$ $H_a: \mu < 76.1$

You believe the population is normally distributed, but you do not know the standard deviation. You obtain a sample of size $n=88$ with mean $M=68.3$ and a standard deviation of $SD=19.3$.

What is the test statistic for this sample? (Report answer accurate to three decimal places.)

test statistic =

What is the p-value for this sample? (Report answer accurate to four decimal places.)

p-value =

The p-value is...

- ☐ less than (or equal to) α
- ☐ greater than α

This test statistic leads to a decision to...

- ☐ reject the null
- ☐ accept the null
- ☐ fail to reject the null

As such, the final conclusion is that...

- ☐ There is sufficient evidence to warrant rejection of the claim that the population mean is less than 76.1.
- ☐ There is not sufficient evidence to warrant rejection of the claim that the population mean is less than 76.1.
- ☐ The sample data support the claim that the population mean is less than 76.1.
- ☐ There is not sufficient sample evidence to support the claim that the population mean is less than 76.1.

(Ctrl)

[Home](#) > [MTH155 SP20 12wk](#) > Assessment

Quiz 4 on Hypothesis Testing

Score: 0/10 0/10 answered

● Question 4

< >

If your claim is in the null hypothesis and you fail to reject the null hypothesis, then your conclusion would be:

- ☐ There is not sufficient sample evidence to support the original claim
- ☐ There is sufficient evidence to warrant rejection of the original claim
- ☐ The sample data support the original claim
- ☐ There is not sufficient evidence to warrant rejection of the original claim

Question Help: [✉ Message instructor](#)[Submit Question](#)

[Home](#) > [MTH155 SP20 12wk](#) > [Assessment](#)

Quiz 4 on Hypothesis Testing

Score: 0/10 0/10 answered

● Question 5

<

>

The mean weight of male dancers in a local modern dance company is less than 180 lbs. Express the null and alternative hypotheses in symbolic form for this claim.

 $H_0: \mu$ $H_1: \mu$

Use the following codes to enter the following symbols:

 $\geq$ enter >= $\leq$ enter <= $\neq$ enter !=

Question Help: [✉ Message instructor](#)

[Submit Question](#)

[Home](#) > [MTH155 SP20 12wk](#) > Assessment

Quiz 4 on Hypothesis Testing

Score: 0/10 0/10 answered

● Question 6 ▼

< >

Test the claim that the proportion of men who own cats is significantly different than 80% at the 0.2 significance level.

The null and alternative hypothesis would be:

$$H_0: p = 0.8 \quad H_0: \mu = 0.8 \quad H_0: p = 0.8 \quad H_0: \mu = 0.8 \quad H_0: \mu = 0.8 \quad H_0: p = 0.8$$

$$H_1: p < 0.8 \quad H_1: \mu > 0.8 \quad H_1: p > 0.8 \quad H_1: \mu \neq 0.8 \quad H_1: \mu < 0.8 \quad H_1: p \neq 0.8$$



The test is:

two-tailed left-tailed right-tailed



Based on a sample of 60 people, 81% owned cats

The test statistic is: (to 2 decimals)

The positive critical value is: (to 2 decimals)

Based on this we:

☐ Fail to reject the null hypothesis

☐ Reject the null hypothesis

You are conducting a study to see if the accuracy rate for fingerprint identification is significantly more than 0.1. You use a significance level of $\alpha=0.02$.

$$H_0: p=0.1$$

$$H_1: p>0.1$$

You obtain a sample of size $n=440$ in which there are 53 successes.

What is the test statistic for this sample? (Report answer accurate to three decimal places.)

test statistic =

What is the p-value for this sample? (Report answer accurate to four decimal places.)

p-value =

The p-value is...


- ☐ less than (or equal to) α
- ☐ greater than α

This test statistic leads to a decision to...

- ☐ reject the null
- ☐ accept the null
- ☐ fail to reject the null

As such, the final conclusion is that...

- ☐ There is sufficient evidence to warrant rejection of the claim that the accuracy rate for fingerprint identification is more than 0.1.
- ☐ There is not sufficient evidence to warrant rejection of the claim that the accuracy rate for fingerprint identification is more than 0.1.
- ☐ The sample data support the claim that the accuracy rate for fingerprint identification is more than 0.1.
- ☐ There is not sufficient sample evidence to support the claim that the accuracy rate for fingerprint identification is more than 0.1.



You wish to test the following claim (H_a) at a significance level of $\alpha=0.05$.

$$H_0: \mu = 84.9$$

$$H_a: \mu > 84.9$$

You believe the population is normally distributed, but you do not know the standard deviation. You obtain a sample of size $n=80$ with mean $M=90.1$ and a standard deviation of $SD=13.2$.

What is the test statistic for this sample? (Report answer accurate to three decimal places.)

test statistic =

What is the p-value for this sample? (Report answer accurate to four decimal places.)

p-value =

The p-value is...

- ☐ less than (or equal to) α
- ☐ greater than α

This test statistic leads to a decision to...

- ☐ reject the null
- ☐ accept the null
- ☐ fail to reject the null

As such, the final conclusion is that...

- ☐ There is sufficient evidence to warrant rejection of the claim that the population mean is greater than 84.9.
- ☐ There is not sufficient evidence to warrant rejection of the claim that the population mean is greater than 84.9.
- ☐ The sample data support the claim that the population mean is greater than 84.9.
- ☐ There is not sufficient sample evidence to support the claim that the population mean is greater than 84.9.

You wish to test the following claim (H_a) at a significance level of $\alpha=0.005$.

$$H_0: \mu = 73.5$$

$$H_a: \mu \neq 73.5$$

You believe the population is normally distributed, but you do not know the standard deviation. You obtain a sample of size $n=18$ with mean $M=77.4$ and a standard deviation of $SD=7.2$.

What is the p-value for this sample? (Report answer accurate to four decimal places.)

p-value =

The p-value is...

- ☐ less than (or equal to) α
- ☐ greater than α

This p-value leads to a decision to...

- ☐ reject the null
- ☐ accept the null
- ☐ fail to reject the null

As such, the final conclusion is that...

- ☐ There is sufficient evidence to warrant rejection of the claim that the population mean is not equal to 73.5.
- ☐ There is not sufficient evidence to warrant rejection of the claim that the population mean is not equal to 73.5.
- ☐ The sample data support the claim that the population mean is not equal to 73.5.
- ☐ There is not sufficient sample evidence to support the claim that the population mean is not equal to 73.5.