

NANDA NURSING DIAGNOSIS

Activity/Rest-ability to engage in necessary/desired activities of life (work and leisure) and to obtain adequate sleep/rest

- Activity intolerance
- Activity intolerance, risk for
- Disuse syndrome, risk for
- Divisional activity, deficit
- Fatigue
- Insomnia
- Mobility: bed, impaired
- Mobility: physical, impaired
- Mobility: wheelchair, impaired
- Sedentary lifestyle
- Sleep deprivation
- *Sleep pattern disturbed
- Sleep, readiness for enhanced
- Transfer ability, impaired
- Walking, impaired

Circulation-ability to transport oxygen and nutrients necessary to meet cellular needs

- *Bleeding, risk for
- Cardiac output, decreased
- *Tissue perfusion, decreased cardiac tissue, risk for
- *Tissue perfusion, ineffective cerebral, risk for
- *Tissue perfusion, ineffective, renal, risk for
- *Tissue perfusion, ineffective gastrointestinal, risk for
- Tissue perfusion, ineffective, peripheral
- *Shock, risk for

Ego Integrity-ability to develop and use skills and behaviors to integrate and manage life experiences

- Anxiety
- Anxiety, death
- Body image, disturbed
- Coping, community, ineffective
- Coping, community, readiness for enhanced
- Coping, defensive
- Coping, family, compromised
- Coping, family, disabled
- Coping, family, readiness for enhanced
- Coping, (individual), readiness for enhanced
- Coping, ineffective
- Denial, ineffective
- Energy field disturbance
- Fear
- Grieving
- Grieving, complicated
- Grieving, risk for complicated
- Health behavior, risk prone
- Human dignity, risk for compromised

Endo

- Blood glucose, risk for unstable

Elimination-ability to excrete waste products

- Bowel incontinence
- Constipation
- Constipation, risk for
- Constipation, perceived
- Diarrhoea
- *Motility, dysfunctional gastrointestinal
- *Motility, risk for dysfunctional gastrointestinal
- Urinary elimination, readiness for enhanced
- Urinary elimination, impaired
- Urinary incontinence, functional
- Urinary incontinence, overflow
- Urinary incontinence, reflex
- Urinary incontinence, stress
- Urinary incontinence, urge
- Urinary incontinence, risk for urge
- Urinary retention

Food/fluid-ability to maintain intake of and utilize nutrients and liquids to meet physiological needs

- Breastfeeding, effective
- Breastfeeding, ineffective
- Breastfeeding, interrupted
- *Electrolyte imbalance, risk for
- Failure to thrive, adult
- Fluid balance, readiness for enhanced
- Fluid volume, deficient
- Fluid volume, deficient risk for
- Fluid volume excess
- Fluid volume, imbalanced, risk for
- Infant feeding pattern, ineffective

Last updated August 2009, *=new diagnosis 2009-2011

- Personal identity, disturbed
- Post trauma syndrome
- Post trauma syndrome, risk for
- Power, readiness for enhanced
- Powerlessness
- Powerlessness, risk for
- Rape-trauma syndrome
- Relocation stress syndrome
- Relocation stress syndrome, risk for
- *Resilience, impaired individual
- *Resilience, readiness for enhanced
- *Resilience, risk for compromised
- Self concept, readiness for enhanced
- Self-esteem, chronic low
- Self-esteem, situational low
- Self-esteem, risk for situational low
- Sorrow, chronic
- Stress, overload

Gastro

- *Jaundice, neonatal
- Liver function, impaired, risk for
- Nausea

Growth and development

- Dentition, impaired
- Development delayed, risk for
- Growth, disproportionate, risk for
- Growth and development, delayed

Health promotion/Education

- Health maintenance, ineffective
- Health management, self, ineffective
- Health-seeking behaviors (specify)
- Immunization status, readiness for enhanced
- Knowledge deficient (specify)
- Knowledge (specify), readiness for enhanced
- Therapeutic regime management: family ineffective

Hygiene-ability to perform activities of daily living

- *Neglect, self
- Self care, readiness for enhanced
- Self-care deficit, feeding
- Self-care deficit, bathing
- Self-care deficit, dressing
- Self-care deficit, toileting

Life Principles

- *Activity planning, ineffective
- Decisional conflict
- Decision making, readiness for enhanced
- Moral distress
- Noncompliance (specify)
- Hope, readiness for enhanced
- Hopelessness
- Religiosity, impaired
- Religiosity, readiness for enhanced
- Religiosity, risk for impaired
- Spiritual distress
- Spiritual distress, risk of
- Spiritual well being, readiness for enhanced

Neurosensory-ability to perceive, integrate and respond to internal and external cues

- Autonomic dysreflexia
- Autonomic dysreflexia, risk for
- Communication, impaired verbal
- Communication, readiness for enhanced
- Confusion, acute
- Confusion, acute, risk for
- Confusion, chronic
- Environmental interpretation syndrome, impaired
- Infant behavior, disorganized
- Infant behavior, disorganized, risk for
- Infant behavior, organized, readiness for enhanced
- Intracranial adaptive capacity, decreased
- Memory, impaired
- Neurovascular dysfunction, peripheral risk for
- Sensory perception disturbed (specify):visual, auditory, kinesthetic, gustatory, tactile, olfactory
- Unilateral neglect

Pain/discomfort-ability to control internal/external environment to maintain comfort

- *Comfort, impaired
- Comfort, readiness for enhanced
- Pain, acute
- Pain, chronic

Respiration-ability to provide and use oxygen to meet physiological needs

- Airway clearance, ineffective
- Aspiration, risk for
- Breathing pattern, ineffective
- Gas exchange, impaired
- Spontaneous ventilation, impaired
- Ventilatory weaning response, dysfunctional (DVWR)

Safety-ability to provide safe, growth-promoting environment

- Body temperature, imbalanced, risk for
- Contamination
- Contamination, risk for
- Falls, risk for
- Home maintenance, ineffective
- Hyperthermia
- Hypothermia
- Infection, risk for
- Injury, risk for
- *Maternal/fetal dyad, risk disturbed
- Latex allergy response
- Latex allergy response, risk for

- Perioperative positioning injury, risk for
- Poisoning, risk for
- Protection, ineffective
- Self mutilation
- Self mutilation, risk for
- Skin integrity, impaired
- Skin integrity, impaired, risk for
- Sudden infant death syndrome, risk for
- Suffocation, risk for
- Suicide, risk for
- Surgical recovery, delayed
- Thermoregulation, ineffective
- Tissue integrity, impaired
- Trauma, risk for
- *Trauma, risk for vascular
- Violence, self-directed risk for
- Violence, other-directed, risk for
- Wandering

Sexuality (component of ego integrity and Social interaction)-Ability to meet requirements/characteristics of male/female role

- *Childbearing process, readiness for enhanced
- Sexual dysfunction
- Sexuality patterns, ineffective

Social Interaction-ability to establish and maintain relationships

- Attachment, parent/infant/child, risk for impaired
- Care giver role strain
- Care giver role strain, risk for
- Family processes, dysfunctional
- Family processes, interrupted
- Family processes, readiness for enhanced
- Loneliness, risk for
- Parenting, impaired
- Parenting, readiness for enhanced
- Parenting, risk for impaired
- *Relationships, readiness for enhanced
- Role conflict, parental
- Role performance, ineffective
- Social interaction, impaired
- Social isolation