ebookbe.com

OIL CROPS (JOHANN VOLLMANN, ISTVAN RAJCAN (EDITORS))



Scan Qr Code To Access Full Version

Full Version On:

ebookbe.com

Get instant access to the complete digital publication, supplementary materials, and full unabridged content. Scan the QR code above or visit our website.

Recommended Course Materials & Supplementary Reference Resources

Please note: Below are recommended reference materials that accompany this subject. Scan the QR code next to any title to view syllabus details.



Stage 1 Starting to Read First Stories (Bobby Lynn Maslen Lynn



Survival Backpack How to Build a 72 Hour Bug Out Bag Survival Backpacks and Survival Bags (Michael



Organic Farming for Sustainable Development (Jeyabalan Sangeetha, Kasem Soytong etc.)



Sweet Cherries (Lynn Long, Gregory Lang, Clive Kaiser)



Survival 101 Put together a basic food stockpile (Ferfal)



Philosophy and Civilization in the Middle Ages (Maurice De Wulf)





Reading Maya Art A Hieroglyphic Guide to Ancient Maya Paintings and Sculpture (Andrea Stone, Marc





Rick Is Sick (Green Light Readers) (David McPhail)





Recovering our ancestors gardens indigenous recipes and guide to diet and fitness (Devon Abbott



Oil Crops

HANDBOOK OF PLANT BREEDING

Editors-in-Chief:

JAIME PROHENS, *Universidad Politecnica de Valencia, Valencia, Spain*
FERNANDO NUEZ, *Universidad Politecnica de Valencia, Valencia, Spain*
MARCELO J. CARENA, *North Dakota State University, Fargo, ND, USA*

Volume 1

Vegetables I: Asteraceae, Brassicaceae, Chenopodicaceae, and Cucurbitaceae
Edited by Jaime Prohens and Fernando Nuez

Volume 2
Vegetables II: Fabaceae, Liliaceae, Solanaceae and Umbelliferae
Edited by Jaime Prohens and Fernando Nuez

Volume 3
Cereals
Edited by Marcelo J. Carena

Volume 4
Oil Crops
Edited by Johann Vollmann and Istvan Rajcan

Johann Vollmann · Istvan Rajcan
Editors

Oil Crops

Springer

Editors

Johann Vollmann
Institute of Agronomy & Plant Breeding
BOKU-University of Natural
Resources & Applied Life Sciences
Gregor Mendel Str. 33
1180 Vienna
Austria
johann.vollmann@boku.ac.at

Istvan Rajcan
Department of Plant Agriculture
University of Guelph
50 Stone Road W.
ON N1G 2W1
Crop Science Bldg.
Canada
irajcan@uoguelph.ca

ISBN 978-0-387-77593-7 e-ISBN 978-0-387-77594-4
DOI 10.1007/978-0-387-77594-4
Springer Dordrecht Heidelberg London New York

Library of Congress Control Number: 2009930437

© Springer Science+Business Media, LLC 2009
All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, LLC, 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden. The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed on acid-free paper

Springer is part of Springer Science + Business Media (www.springer.com)

Foreword

When one is privileged to participate long enough in a professional capacity, certain trends may be observed in the dynamics of how challenges are met or how problems are solved. Agricultural research is no exception in view of how the plant sciences have moved forward in the past 30 years. For example, the once grand but now nearly forgotten art of whole plant physiology has given way almost completely to the more sophisticated realm of molecular biology. What once was the *American Society of Plant Physiologists'* is now the *American Society of Plant Molecular Biology*; a democratic decision to indemnify efforts to go beyond the limits of the classical science and actually begin to understand the underlying biological basis for genetic regulation of metabolic mechanisms in plants. Yet, as new technologies open windows of light on the inner workings of biological processes, one might reminisce with faint nostalgia on days long past when the artisans of plant physiology, biochemistry, analytical chemistry and other scientific disciplines ebbed and waned in prominence.

No intentional reference is made here regarding Darwinism; the plant sciences always have been extremely competitive. Technology is pivotal. Those who develop and/or implement innovative concepts typically are regarded as leaders in their respective fields. Each positive incremental step helps bring recognition and the impetus to push a scientific discipline forward with timely approaches to address relevant opportunities.

So, it might be interesting to know how those skilled in the art of statistical analysis and the field of classical plant quantitative genetics are coping with the intensifying research emphasis on biotechnology, genomics, proteomics, and the like. After all, high-throughput whole genome sequence analyses and advanced bioinformatic resources for gene discovery will soon render the characterization of haplotypes, in entire germplasm collections and among progeny of segregating breeding populations, a routine event. Will the day come when breeders are told which parents to mate for a particular objective? No doubt an interesting dialog will ensue, but by-in-large taking the mystery out of plant science should be viewed as a good thing for all the constituent professions.

Is a physician's ability impaired by the advent of new diagnostic technologies and a more effective range of pharmaceuticals? Even a NASCAR driver

benefits from all of the computerized signals that monitor every aspect of a race cars performance. So, it is the same for breeding and quantitative genetics. Knowledge and skill are still needed to associate phenotypic traits with a haplotype. Ability is still required to reduce all of these ancillary tools to successful practice. Thus, the renaissance that is underway will position plant quantitative genetics to emerge with increased capacity to provide solutions to major problems and address the needs of world agriculture in a timely manner.

What are those needs with regard to oilseeds? Based on world production, USDA Foreign Agricultural Service reports show that soybean (56.0%), rapeseed (13.4%), cottonseed (10.1%), peanut (8.1%), sunflower (8.0%), and palm plus palm kernel (2.8%) are the major oilseed crops. These commodities represent essentially the entire commercial source of vegetable protein and oil. Annual world consumption of vegetable oil has averaged about 90.0% of total vegetable oil supply since 1997, leaving on average enough end-of-year stocks for about a 30-day buffer; whereas annual world use of oilseed meal has averaged about 95.7% of total supply, leaving on average a carryover equivalent to about an 11-day cushion of meal. These trends suggest that consumer demand for these products is limited only by availability, and that any natural disaster that may limit oilseed production could severely compromise the global food chain.

Although crushing capacity has expanded significantly in the US and abroad, the proportion crushed has averaged about 81% of total world oilseed production for decades. Considering the need to service export markets, a significant escalation of oilseed crush levels to increase the supply of meal and oil is unlikely. Hence, the greatest need that oilseed breeders face is simply to ensure a sufficient oilseed supply to meet the elastic demand for protein and oil; which on its own merit is a major contribution to alleviate world hunger.

However in recent years, a number of constraints have emerged that could mitigate efforts to increase global oilseed production for food use. The most prominent factor is renewed interest in vegetable oil as a source of biodiesel fuel. This concern recognizes that annual global vegetable oil resources could barely make a dent in the demand for energy. However, as shown in the adjacent figure, the market forces that direct food and industrial demand for



vegetable oils appear to have established a temporary equilibrium at about 80% (food):20% (industrial). Perhaps this will hold long enough for appropriate adjustments in markets for oilseed products. In addition, breeding efforts to develop varieties for commercial production of industrial oilseeds like lesquerella, cuphea and various non-food biotech innovations should help stabilize this situation.

Achieving greater genetic gain for oilseed productivity may be a lesser priority to some in the oilseed industry who subscribe to the paradigm that farmers will expand harvested area to increase the production of oilseeds. However, in view of escalating costs of oilseed production and competition for land from non-oilseed crops, the flexibility of countries to devote more agricultural resources to oilseeds remains to be seen. At this time, the rate of increase in harvested area since 1997 may be the best estimate of how much more harvested area might be available in future years. Regression analysis of these data in the figure below estimates the rate of increase at +3.45 Mha per year (R^2, 0.88). Assuming continuation of a linear trend, there might be a total of 258 Mha in global oilseed production in the year 2020, an increase of about 41 Mha over the level in 2008. One must wonder if this would be enough to make a significant difference.



Questions about future levels of harvested area place more pressure on the remaining variable in the yield equation for increased production. Regression analysis of these data in the adjacent figure estimates the rate of increase in world oilseed production at +12.5 MMT per year (R^2, 0.96). Assuming continuation of a linear trend, there might be a total of 704 MMT in global oilseed production in the year 2020, an increase of about 196 MMT over the level in 2008. Again, using simple arithmetic and assuming 258 Mha would be available to harvest, the world average oilseed yield in 2020 could be about 2.7 MT per ha (or 3.2 MT per ha if no additional land became available). Reaching that plateau would require a 40% increase in average total oilseed yield (70% without the projected increase in land) given an average global oilseed yield of 1.9 MT per ha in 2008.

In the past decade, average global oilseed yield has increased only 20%. Therefore, it appears that a great deal is riding on the development and application of oilseed biotechnology and genomics in the next decade. These technologies should enable quantum leaps in genetic progress. However, it all

depends upon a renaissance in quantitative genetics and the application of those technologies now and by the next generation of public and private oilseed breeders. Perhaps, it would be wise to redouble the effort to train and deploy that future workforce now.

Raleigh, North Carolina Richard F. Wilson

Preface

Vegetable oils have gained in importance during the past few decades resulting in the doubling of the world oil crop production in the last 25 years. Oil crops have been increasingly used as raw materials for food, livestock feed and non-food industrial applications. Plant breeding has played an essential role in supporting these developments: Breeding for higher yield and oil content allowed for an increase in oil production per unit area, whereas breeding for better oil quality has improved both the human health value of vegetable oils as well as the suitability of particular oils in specific industrial applications. Moreover, newly developed unique oil qualities are opening new opportunities in agricultural production and processing.

Cereals, legumes or forages each represent relatively homogeneous groups of crops belonging to one or a few plant families with similar botanical characteristics in which comparable breeding procedures could be used. In contrast, oil crop species have been developed in various botanical families from both the monocots and dicots. Thus, oil crops are a highly diverse set of species from short season annuals to perennials with a life span of over 2000 years. Consequently, breeding methods used for oil crop improvement include clonal breeding, pure line breeding, improvement of open-pollinated populations as well as hybrid breeding. In particular, the breeding procedures and techniques include almost every activity from simple mass selection and hybridization to specialized biotechnologies such as *in vitro* propagation or genetic engineering. Despite the differences at the species and breeding levels, some major breeding goals are remarkably similar, which justifies treating them in one volume such as: high oil content, altering fatty acid composition to suit the needs for either human consumption or non-food utilization, and a high quality of by-products. In addition, issues such as the biosynthetic pathways of particular fatty acids and their manipulation, QTL analysis for quality characters, genetic diversity, or oil and fatty acid analytics during selection are of common interest to all oil crop breeders. Therefore, this volume was prepared as a state-of-the-art compilation and a major reference text on oil crop breeding, which has been lacking for several decades. While the information accumulated in this volume is of primary interest to plant breeders, valuable insights are also offered to agronomists, molecular biologists, physiologists,

plant pathologists, food scientists and university scholars from the comparative treatment of various oil crop species.

Apart from an introductory chapter on oil crop breeding and a chapter highlighting genetic modification of vegetable oils, this volume presents 17 chapters devoted to breeding of particular oil crop species. Oil crops with world-wide distribution such as soybean, sunflower, oilseed rape and related brassicas are presented side-by-side with tropical and subtropical species such as cotton seed, peanut or castor, the perennials oil palm, coconut and olive, minor oil crops of regional importance such as safflower, poppy, oil pumpkin or maize, and new oil crops such as lesquerella and cuphea. Origin and domestication, varietal groups, genetic resources, major achievements and current breeding goals, breeding methods, techniques and biotechnologies, and seed production are addressed depending on their relevance in a particular crop.

Each crop chapter has been written by outstanding experts in their respective fields. Whenever possible authors from different institutions or countries worked together on particular chapters, which contributed to broadened and well-balanced views on particular species or topics.

The editors acknowledge the excellent contributions of all chapter authors who devoted much time and effort in delivering their part to this high quality volume. The editors extend heartfelt thanks to the staff at Springer, particularly to Hannah Schorr and Jinnie Kim, for their highly professional support during all stages of the publishing process. Moreover, the editors would like to thank Editors-in-chief of the Springer series *Handbook of Plant Breeding*, Professors Jaime Prohens, Fernando Nuez and Marcelo Carena, both for considering a volume exclusively devoted to oil crops and for their helpful input throughout the preparation of this volume.

Vienna, Austria — Johann Vollmann
Guelph, ON, Canada — Istvan Rajcan