

SafeAssign Originality Report

NURS-6630N-27-Approaches to Treatment-2021-Su... • SafeAssign Drafts • Submitted on Sun, Aug 01, 2021, 10:36 AM

[View Originality Report - Old Design](#)



📄 View Report Summary

that the medicine would not cause the effect on a significant scale. The medicine was hoped to cause very few side effects on the patient. ⑥ Ethical considerations included patient privacy, safety and informed consent. The young girl's parents were allowed to consent to the treatment procedure after the psychiatrist explained full information about the medicine and their alternatives. ③ The doctor only shared patient personal information and medical details with the parents or with their consent. Decision #2 The second decision involved discontinuing Wellbutrin and replacing it with Strattera, which the patient would take at 10 mg daily. The choice was made after the failure of Wellbutrin to produce the desired results and also to reverse the side effect caused by the first medicine. Strattera increases the number of nor-epinephrine chemicals in the brain. This increases the patient's attention span while reducing hyperactivity and impulsive behavior (McCabe et al., 2016). After four weeks of medication, the girl exhibited improvement in the symptoms of ADHD. However, the medicine also caused decreased appetite in the patient. The first option was not

Word Count:	Submitted on:	Submission UUID:	Attachment UUID:
1,591	08/01/21	0461a735-12ce-63ce-0219-28973d69f8a4	41716ece-27cb-1674-99c3-235f28b5cd10



Attachment 1

WK9AssgnAnimashaunO Psych...

49 %

Sources

INCLUDED SOURCES



Institutional database (5) 46 %

Internet (2) 3 %