

Take Test: Unit VII Assessment

Test Information

Description

Instructions

- This assessment can be opened multiple times, but can only be submitted once.
- You may print this assessment to mark your answers prior to entering them online, or you may enter your answers directly online.
- Periods of inactivity will cause your assessment to time out resulting in an unwanted submission, so be sure to save each answer as you complete the question in order to avoid losing any work.
- For a description of the various types of questions you may encounter in an assessment, [click here](#) to view the Submission Instructions page.
- Outside sources are not required; however, when directly quoted or paraphrased works of others are used in any manner, the writer is obligated to properly cite the source of the original material.
- To view your Written Response Grading Rubric, [click here](#).

Multiple Attempts Not allowed. This test can only be taken once.

Force Completion This test can be saved and resumed later.

Question Completion Status:

Save All Answers

Close Window

Save and Submit

Question 1

5 points Save Answer

Which of the following is a type of diabetes mellitus where little or no insulin is produced by the body and is controlled by the administration of insulin?

- ☐ Type 0
- ☐ Type 1
- ☐ Type 2
- ☐ Type 3

Question 2

5 points Save Answer

The Chapter 15, Pregnancy, Childbirth and the Puerperium, codes are only used on the medical record of:

- ☐ the mother.
- ☐ the newborn.
- ☐ either.
- ☐ neither.

Question 3

5 points Save Answer

The peripartum period is defined as:

- ☐ last month of pregnancy to 6 months postpartum.
- ☐ first month of pregnancy to 6 months postpartum.

- ☐ first month of pregnancy to 5 months postpartum.

Question 4

5 points

Save Answer

Due to having an excess chromosome, which of the following is the name for Down syndrome?

- ☐ Trisomy 18
☐ Trisomy 19
☐ Trisomy 20
☐ Trisomy 21

Question 5

5 points

Save Answer

A complication during pregnancy, childbirth, or the puerperium is considered to be a complication unless the attending physician specifically documents that the complicating condition:

- ☐ neither resulted in extensive complexity or loss of blood.
☐ neither affected the mother nor the fetus/newborn.
☐ neither affects the pregnancy nor is affected by the pregnancy.
☐ affected the mother only and not the fetus/newborn.

Question 6

5 points

Save Answer

Use the EncoderPro software to assign I-10 code(s) to the following diagnoses.

First- and second-degree burn, right foot, 9%, due to bonfire flames:

Second degree ICD-10-CM code:

Extent ICD-10-CM code:

X ICD-10-CM code for exposure to fire:

Arial



3 (12pt)



Question Completion Status:

Path:

Words:0

Question 7

5 points

Save Answer

Use the EncoderPro software to assign I-10 code(s) to the following diagnosis:

Abnormal mammogram.

Arial



3 (12pt)



Path:

Words:0

Question 8**5 points** **Save Answer**

Female patient in her first trimester is seen for a routine prenatal check. The patient had pre-existing stage I hypertensive chronic kidney disease that is documented to be complicating her pregnancy. Use the EncoderPro software to assign I-10 code(s) to the following diagnoses:

Hypertensive chronic kidney disease complicating pregnancy. ICD-10-CM Codes (Pregnancy), (Hypertension):

Hypertensive kidney disease with chronic kidney disease, stage 1 through 4. ICD-10-CM Code:
Stage of chronic kidney disease. ICD-10-CM Code:

Arial



3 (12pt)



Path:

Words:0

Question Completion Status:

Question 9**5 points** **Save Answer**

Use the EncoderPro software to assign I-10 code(s) to the following diagnosis:
Congenital arachnoid cyst of the brain.

Arial



3 (12pt)



Path:

Words:0

Question 10**5 points** **Save Answer**

Newborn female delivered in hospital by cesarean section. Newborn diagnosed with Down syndrome. Use the EncoderPro software to assign I-10 code(s) to the following diagnoses:

Liveborn status:

Down syndrome:

Mental retardation:

Arial



3 (12pt)



Path:

Words:0

Question 11**5 points****Save Answer**

Use the EncoderPro software to assign I-10 code(s) to the following diagnosis:
Two-year-old diagnosed with fragile X syndrome.

Arial



3 (12pt)



Path:

Words:0

Question 12**10 points****Save Answer**

Briefly describe the four classifications of drug toxicity used for coding and reporting.

Your response should be at least 75 words in length.

Arial



3 (12pt)



Path:

Words:0

Question 13**10 points****Save Answer**

Contrast congenital anomaly and abnormal findings. Briefly describe the guidelines for reporting. Give the sections, chapters, code ranges, and at least one of the conditions that may be reported under each section.

Your response should be at least 75 words in length.

Arial



3 (12pt)



Path:

Words:0

Question 14**25 points****Save Answer**

Match the codes on the left to the chapter title on the right.

 (P00-P96) (Q00-Q99) (O00-O9A) (S00-T88) (R00-R99)

a. Symptoms, Signs and Abnormal Clinical and Laboratory Findings, not elsewhere Classified

b. Injury, Poisoning and Certain Other Consequences of External Causes

c. Congenital Malformations, Deformations and Chromosomal Abnormalities

d. Pregnancy, Childbirth, and the Puerperium

e. Certain Conditions Originating in the Perinatal Period

Save and Submit*Click Save and Submit to save and submit. Click Save All Answers to save all answers.*

Save All Answers

Close Window

Save and Submit

Question Completion Status: